

Date:	/ /	Order No.:	Job Name:
Company Name:			
Order Contact Name:		Order Contact Phone:	
Order Contact Email/Fax:			
Invoice Address:			
Delivery Address:			
Site Contact:		Site Contact Phone:	

<b>1. Spacemaker</b> Quote / Order	Quote:	<input type="checkbox"/>	Order:	<input type="checkbox"/>	
<b>2. Thickness</b>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Core Thickness:	50mm	75mm	100mm	125mm	150mm
Overall Thickness:	87mm	112mm	137mm	162mm	187mm

### 3. Roof Colour

<b>Off White</b> (*Surfmist)	<b>Smooth Cream</b> (*Classic Cream)	<b>Merino</b> (*Paperbark)	<b>Gull Grey</b> (*Shale Grey)	<b>Birch Grey</b> (*Dune)	<b>Armour Grey</b> (*Windspray)	<b>Slate Grey</b> (*Woodland Grey)	<b>Jasmin Brown</b> (*Jasper)	<b>Heritage Red</b> (*Manor Red)	<b>Mist Green</b> (*Pale Eucalypt)	<b>Basal</b> (*Basalt)

^ Orders under 50LM subject to \$250 + GST Set Up fee

<b>Iron Grey</b> (*Ironstone) Limited Warranty	<b>Monolith</b> (*Monolith) Limited Warranty	<b>Wallaroo</b> (*Wallaby)	<b>Unizinc</b> (*Zincalume)	<b>Dusk</b> (*Evening Haze)	<b>Gulf</b> (*Gully)	<b>Caulfield Green</b> (*Cottage Green) Limited Warranty	<b>Mountain Blue</b> (*Deep Ocean) Limited Warranty	<b>Ebony</b> (*Night Sky) Limited Warranty	<b>Corrosion resistant top skins</b> ^MagnaFlow™ Off White (*Surfmist) ^MagnaFlow™ Armour Grey (*Windspray) Only available with MagnaFlow™ ceiling skin. Additional LM charge applies, refer pricelist.	

\*Equivalent colour names are trade marks or registered trade marks of BlueScope Steel Limited and used only for comparison. Colour and finish swatches are provided as an indication only and may not be an actual representation of colour or finish. We recommend checking your chosen colour and finish against an actual sample of the product before purchasing.

### 4. Ceiling Finish

<b>Pearl White</b>				<b>Cream</b>			<b>Merino</b>			<b>MagnaFlow™ Off White (*Surfmist)</b> Only available with MagnaFlow™ top skin		
Smooth	Embossed	Micaline	Luxline	Smooth	Micaline	Luxline	Smooth	Micaline	Luxline	Smooth	Micaline	Luxline

Additional LM charge applies, refer pricelist.

### 5. Panel Quantities:

Standard Configuration: 60mm Gutter Cutback / Left side Lap  
(Viewed from gutter edge - This setting cannot be changed)

Quantity	@	Top Skin Length Min. 1800mm Max. 15000mm	Gutter Cutback (Front) (Cannot be changed)	Lap (Cannot be changed)	Cover Width
	@		60mm	Left	1000mm
	@		60mm	Left	1000mm
	@		60mm	Left	1000mm
	@		60mm	Left	1000mm
	@		60mm	Left	1000mm
	@		60mm	Left	1000mm
	@		60mm	Left	1000mm
	@		60mm	Left	1000mm
	@		60mm	Left	1000mm
	@		60mm	Left	1000mm

### 1. Flashings

Type	Roof Pitch	Style (please circle)	Colour	Qty.	Length (Max. 8m)	Qty.	Length (Max. 8m)
 Receiver Channel <i>(Please Specify Pitch)</i>		Stepped / Flush	White				
 Top End Capping <i>(Please Specify Pitch)</i>		Stepped / Crush Fold					
 Side Barge Capping	N/A	Stepped / Crush Fold					
 Z Gutter Fascia <i>(Please Specify Pitch)</i>		Stepped / Crush Fold					
 Ridge Capping <i>(Please Specify Pitch)</i>		N/A					
 Apron Flashing <i>(Please Specify Pitch)</i>		N/A					
Fire Flashing - Roof End x 1000mm (1 x req. per panel)			White				
Fire Flashing - Gutter End x 1000mm (1 x req. per panel)			White				

### 2. Gutter

Type	Colour	Qty.	Length
<b>Square Gutter</b> Slotted Square Gutter <i>(Max. 8m)</i>			
	Square Gutter Stop Ends (Pair)		
	Square Gutter Brackets		
<b>Quad Gutter</b> Slotted Quad Gutter 125 <i>(Max. 8m)</i>			
	Quad Gutter Stop Ends (Pair)		
	Quad Gutter External Brackets		
	Quad Gutter Internal Brackets	Galvanised	
	Quad Gutter External Corners		45 / 90° (Circle)
Quad Gutter Internal Corners	Galvanised		45 / 90° (Circle)

### 4. Screws

Length	Finish	Qty.	Painted Boxes	Colour (Boxes only)	Box Qty.
<b>Metal Fix</b>	110mm	Galv.		Box = 250	
	125mm	Galv.		Box = 250	
	150mm	Galv.		Box = 250	
	175mm	Galv.		Box = 250	
	205mm	Galv.		Box = 250	
	230mm	Galv.		Box = 250	
	250mm	Galv.		Box = 150	
<b>Timber Fix</b>	125mm	Galv.		Box = 250	
	150mm	Galv.		Box = 250	
	175mm	Galv.		Box = 250	
	200mm	Galv.		Box = 200	
	225mm	Galv.		Box = 200	
	250mm	Galv.		Box = 150	
300mm	Galv.		Box = 150		
Type	Colour	Qty.			
Stitching Screws Painted 16mm (100pk)					
Rivets Painted (100pk) 3.2mm dia. x 9.5mm grip					
25mm Steel Fix Screws (500pk) Painted or Galvanised					

### 3. Downpipes

Type	Colour	Qty.
<b>Rectangle</b>	Downpipe 2.4m - 100 x 50 Rect.	
	Downpipe Outlet - 100 x 50 Rect.	Galvanised
	Downpipe Straps - 100 x 50 Rect.	
	82° Offset - 100 x 50 Rect.	
<b>Round</b>	Downpipe 2.4m - 90mm Round	
	Downpipe Outlet - 90mm Round	Galvanised
	Downpipe Straps - 90mm Round	
	45° Bend - 90mm Round	

### 5. Accessories

Type	Details	Qty.
LED Downlight White Bezel, Dimmable	Multi: 3000/4000/5000k (Adjustable: Warm, Neutral, Cool)	
LED Downlight Brushed Aluminium Bezel, Dimmable	<i>(please circle)</i> Warm White (3000k) Cool White (5000k)	
Downlight Dimmer	Specialist LED	
Roof Infill Strip	Spacemaker x 1000mm	
Roof Infill Strip	Corrolink-S x 1000mm	
Roof Infill Strip	Versalink 1000 x 1000mm	
Eave / Ridge Filler Strip	Corrolink 915mm	
Eave Filler Strip	Versalink 765mm	
Ridge Filler Strip	Versalink 765mm	
Fan Fixing Plate <i>(inc. locking nut)</i>	White - 100mm Diameter	
Fan Fixing Plate Screws	1 x Profile Fix & 1 x Pan Fix	
Purlin Tape	5mm x 40mm - 13m Roll	
Butyl Tape	12mm x 15m Roll	
Touch Up Paint	Pearl White Spray Can 150gm	

**1. Skylight Kit Combinations (Includes materials to install 1 x skylight per kit)**

Type	Details	Qty.	Cut to Length (please specify length required)
Spacemaker - 4m Kit	Top Fibreglass Strip   Twinwall Bottom Diffuser Strip   2 x 4000mm T-Bars Foam Infill Pair   Stormtite Stitching Screws   Rivets   Twinwall Sealer Tape		
Spacemaker - 6m Kit	Top Fibreglass Strip   Twinwall Bottom Diffuser Strip   2 x 6000mm T-Bars Foam Infill Pair   Stormtite Stitching Screws   Rivets   Twinwall Sealer Tape		
Spacemaker - 8m Kit	Top Fibreglass Strip   Twinwall Bottom Diffuser Strip   4 x 4000mm T-Bars Foam Infill Pair   Stormtite Stitching Screws   Rivets   Twinwall Sealer Tape		

Alternatively, you can order items required individually below:

**2. Fibreglass Top & Twinwall Bottom**

Type	Length	Qty.	Cut to Length (please specify length required)
Spacemaker Top Fibreglass Strip	4m*		
	6m*		
	8m*		
Twinwall Diffuser Bottom Strip	4m*		
	6m*		
	8m*		

\*Please note: you will be purchasing full lengths. We will cut these to your required lengths and you will be provided with any offcuts.

**3. Accessories**

Type	Qty.	Type	Qty.
Spacemaker Foam Infill (Pair: Front & Back)		Twinwall Sealer Tape (50m Roll)	
Rivets, White - 100 pack 3.2mm dia x 9.5mm		Stitching Screws - 50 pack Surfmist Storm-Tite 25mm	
Aluminium T-Bar White - 40 x 50mm	4m 6m	Silicone: Clear/White (Please Circle)	
Spacemaker Accessory Bag:			
Foam Infill Pair   35 x Stormtite Stitching Screws   60 x Rivets   1m Twinwall Sealer Tape			

**What you need:**

- Fibreglass profiled top strip (4m, 6m & 8m only) - cut to match overall top sheet length, if required
- Twin wall bottom diffuser ceiling strip (4m, 6m & 8m only) - cut to match ceiling length, if required
- T-bar aluminium extrusions (4m & 6m only) - require 2 x T-Bars per light strip, either side of bottom diffuser strip
- Twin wall seal tape - require 460mm for each Skylight
- Foam infills (Spacemaker/Versalink 1000 = 2 piece set per skylight, Corrolink-S = 1 piece per skylight, cut to size onsite)
- Stormtite Screws - fixed through profile/crest at 600mm centres, along both sides of the fibreglass profiled top strip
- Blind Rivets - fixed through T-Bar at 300mm centres
- Silicone - run bead of silicone along top of horizontal section of T-Bar prior to pressing Twinwall into place and along Z Flashing prior to pressing foam infill into place

**Please request and review engineering specifications prior to ordering skylights**

