












Roof Flashings		
	Type	Code
	Receiver Channel in 1mm - White (Maximum 8m)	RABC
	Top End Capping - Colour (Maximum 8m)	RAEC
	Side Barge Capping - Colour (Maximum 8m)	RABARGE
	Gutter 'Z' Fascia - Colour (Maximum 8m)	RAGZF
	Ridge Capping - Colour (Maximum 8m)	RARC
	Apron Flashing - Colour (Maximum 8m)	RAAF

Profiled Fire Flashings		
	Type	Code
	Roof End Fire Flashing - White (All Profiles - 765/1000mm Cover)	RAFE
	Small Gutter End Fire Flashing - White (All Profiles, 50mm - 115mm Thicknesses, 765/1000mm Cover)	RAFGS
	Large Gutter End Fire Flashing - White (All Profiles, 125mm - 200mm Thicknesses, 765/1000mm Cover)	RAFGL




Roof End Flashing:



Gutter End Flashing:



Gutter, Downpipes & Accessories

	Code	Type		Price	Type
	RASG	Slotted Square Gutter - Colour (Maximum 8m)		RADS90	90mm Round Downpipe Straps - Colour
	RASE	Square Gutter Stop Ends Colour		RAOR45	45° Bend to suit 90mm Round Downpipe
	RAGB	Square Gutter Brackets (Internal) Galvanized		RAFFP100	Fan Fixing Plate - 100mm (includes locking nut)
	RAQG	Slotted Quad Gutter - Colour 125 (Maximum 8m)		RAPT	Purlin Tape 5mm x 40mm 13m Roll
	RAQGSE	Quad Gutter Stop Ends Colour		RABT	Butyl Tape 12mm 15m Roll
	RAQGB	Quad Gutter Brackets (External) Colour		RAEFSC	Ridge/Eave Filler Strip Corrolink 915mm
	RAQGBI	Quad Gutter Brackets (Internal) Galvanized		RAEFSV	Eave Filler Strip Versalink 915mm
	RAQGAB	Quad Gutter Corner (External) 90° Degree - Colour		RARFS	Ridge Filler Strip Versalink 915mm
	RAQGIC	Quad Gutter Corner (Internal) 90° Degree - Colour		RASI	Ridge Filler Strip Spacemaker 1000mm
	RAD2400	Downpipe - Colour 100mm x 50mm x 2400mm		ACCDLWW	LED Downlight - Dimmable White Bezel, Warm White 90mm x 30mm (3000k)
	RADO	100 x 50 Downpipe Outlet in Zincalume		ACCDLWN	LED Downlight - Dimmable White Bezel, Cool White 90mm x 30mm (5000k)
	RADS	100 x 50 Downpipe Straps Colour		ACCDLNW	LED Downlight - Dimmable Brushed Aluminium, Warm White 90mm x 30mm (3000k) (Special Order)
	RAAO	100 x 50 Offset 82° Colour		ACCDLNN	LED Downlight - Dimmable Brushed Aluminium, Cool White 90mm x 30mm (5000k) (Special Order)
	RADP90	Downpipe 90mm Round x 2400mm Colour		ACCDLD	Downlight Dimmer Specialist LED
	RADO90MM	90mm Round Downpipe Outlet Zincalume		ACCTPS	Touch Up Paint Pearl White 15% Gloss Spray Can 150gm

Class 4 Roof Screws

Length	Screw Type	Finish	Code
300mm	Type 17	Galvanised	RAS300AT
250mm	Type 17	Galvanised	RAS250AT
250mm	Metal	Galvanised	RAS250S
230mm	Metal	Galvanised	RAS230S
225mm	Type 17	Galvanised	RAS225AT
205mm	Metal	Galvanised	RAS205S
200mm	Type 17	Galvanised	RAS200AT
175mm	Type 17	Galvanised	RAS175AT
175mm	Metal	Galvanised	RAS175S
150mm	Type 17	Galvanised	RAS150AT
150mm	Metal	Galvanised	RAS150S
125mm	Type 17	Galvanised	RAS125
125mm	Metal	Galvanised	RAS125S
110mm	Metal	Galvanised	RAS110S
25mm	Metal	Painted Galvanised	RAS25SPTD RAS25SG

*Painted screws available on special order - Minimum order quantities apply - P.O.A
All above roof screws supplied with washers*


Other Fixings

Description	Length	Finish	Code
Stitching Screws	16mm	Painted	RASSPTD
Rivets	3.2mm dia x 9.5mm grip	Painted	RARIVET

Steel / Aluminium Fix



Type 17



Stitching Screw

Rivet





Recommended Fixings *(Check roof pitch to ensure screw length is adequate)*

Roof Profile	Fixing Point	Screw Type	Roof Profile	Fixing Point	Screw Type
Spacemaker 50mm	Steel / Alum. Timber	125mm Metal 150mm T17	Corrolink 85mm	Steel / Alum. Timber	125mm Metal 150mm T17
Spacemaker 75mm	Steel / Alum. Timber	150mm Metal 175mm T17	Corrolink 115mm	Steel / Alum. Timber	150mm Metal 175mm T17
Spacemaker 100mm	Steel / Alum. Timber	175mm Metal 200mm T17	Corrolink 150mm	Steel / Alum. Timber	205mm Metal 200mm T17
Spacemaker 125mm	Steel / Alum. Timber	205mm Metal 225mm T17	Corrolink 200mm	Steel / Alum. Timber	230mm Metal 250mm T17
Spacemaker 150mm	Steel / Alum. Timber	230mm Metal 250mm T17	Double Corrolink - S 75mm	Steel / Alum. Timber	110mm Metal 125mm T17
Versalink 50mm	Steel / Alum. Timber	110mm Metal 125mm T17	Double Corrolink - S 100mm	Steel / Alum. Timber	150mm Metal 150mm T17
Versalink 75mm	Steel / Alum. Timber	150mm Metal 150mm T17	Double Corrolink - S 125mm	Steel / Alum. Timber	175mm Metal 175mm T17
Versalink 100mm	Steel / Alum. Timber	175mm Metal 175mm T17	Double Corrolink - S 150mm	Steel / Alum. Timber	175mm Metal 200mm T17
Versalink 125mm	Steel / Alum. Timber	205mm Metal 200mm T17	Double Corrolink 75mm	Steel / Alum. Timber	110mm Metal 125mm T17
Corrolink - S 50mm	Steel / Alum. Timber	110mm Metal 125mm T17	Double Corrolink 100mm	Steel / Alum. Timber	150mm Metal 150mm T17
Corrolink - S 75mm	Metal / Alum. Timber	125mm Metal 150mm T17	Double Corrolink 125mm	Steel / Alum. Timber	175mm Metal 175mm T17
Corrolink - S 100mm	Steel / Alum. Timber	150mm Metal 175mm T17	Double Corrolink 140mm	Steel / Alum. Timber	175mm Metal 200mm T17
Corrolink - S 125mm	Steel / Alum. Timber	175mm Metal 200mm T17	Multidek 100mm	Steel / Alum. Timber	150mm Metal 150mm T17
Corrolink - S 150mm	Steel / Alum. Timber	205mm Metal 225mm T17	Multidek 125mm	Steel / Alum. Timber	175mm Metal 175mm T17
Corrolink - S 180mm	Steel / Alum. Timber	230mm Metal 250mm T17	Multidek 140mm	Steel / Alum. Timber	175mm Metal 200mm T17

Spacemaker & Corrolink S SkyLight Strip

Type	Code
Top Fibreglass Strip (Spacemaker) - 6m Top Fibreglass Strip (Spacemaker) - 8m	RASKY6 RASKY8
Top Fibreglass Strip (Corrolink S) - 6m Top Fibreglass Strip (Corrolink S) - 8m	RASKY6CL RASKY8CL
Bottom Twinwall Diffuser Strip - 6m Bottom Twinwall Diffuser Strip - 8m	RATWIN6 RATWIN8
Twinwall Sealer Tape - 50m Roll	RASKYST
Foam Infill (Spacemaker) - Front & Back (Pair) Foam Infill (Corrolink S) - 915mm wide (1 x req. per Skylight)	RASKYFI RAEFSC
Aluminium T-Bar 40mm x 50mm, Pearl White - 4m Aluminium T-Bar 40mm x 50mm, Pearl White - 6m	ATB40504 ATB40506
25mm Stitching Screws, Storm-Tite Surfmist, 50 Pack	RASKYSS



Please contact us to request detailed engineering drawings for fitting instructions