

## Quote/Order Form

Date: / /	Order No.:	Job Name:
Company Name:		ABN:
Order Contact Name:		Order Contact Phone:
Order Contact Email:		Date order required:
Invoice Address:	State:	Post Code:
Delivery Address:	State:	Post Code:
Site Contact:	Site Contact Phone:	

<b>1. Double Corrolink-S (1000mm) Quote / Order</b>	Quote: <input type="text"/>	Order: <input type="text"/>
---	-----------------------------	-----------------------------

<b>1. Thickness</b>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
Overall Thickness:	75mm	100mm	125mm	150mm

### 3. Roof Colour

Off White <small>(*Surfmist)</small>	Smooth Cream <small>(*Classic Cream)</small>	Merino <small>(*Paperbark)</small>	Gull Grey <small>(*Shale Grey)</small>	Birch Grey <small>(*Dune)</small>	Armour Grey <small>(*Windspray)</small>	Slate Grey <small>(*Woodland Grey)</small>	Jasmin Brown <small>(*Jasper)</small>	Heritage Red <small>(*Manor Red)</small>	Mist Green <small>(*Pale Eucalypt)</small>	Unizinc <small>(*Zincalume)</small>
Dusk <small>(*Evening Haze)</small>	Gulf <small>(*Gully)</small>	Wallaroo <small>(*Wallaby)</small>	Basal <small>(*Basalt)</small>	Mountain Blue+ <small>(Deep Ocean)</small>	Caulfield Green+ <small>(Cottage Green)</small>	Iron Grey+ <small>(Ironstone)</small>	Monolith+ <small>(Monument)</small>	Ebony+ <small>(Night Sky)</small>	MagnaFlow™ Off White <small>(*Surfmist)</small>	MagnaFlow™ Armour Grey <small>(*Windspray)</small>

**+Limited Warranty**

\*Equivalent colour names are trade marks or registered trade marks of BlueScope Steel Limited and used only for comparison. Colour and finish swatches are provided as an indication only and may not be an actual representation of colour or finish. We recommend checking your chosen colour and finish against an actual sample of the product before purchasing.

Corrosion resistant option only available with MagnaFlow™ ceiling. Additional LM charge applies, refer pricelist.

### 4. Ceiling Colour

Off White <small>(*Surfmist)</small>	Smooth Cream <small>(*Classic Cream)</small>	Merino <small>(*Paperbark)</small>	Gull Grey <small>(*Shale Grey)</small>	Birch Grey <small>(*Dune)</small>	Armour Grey <small>(*Windspray)</small>	Slate Grey <small>(*Woodland Grey)</small>	Jasmin Brown <small>(*Jasper)</small>	Heritage Red <small>(*Manor Red)</small>	Mist Green <small>(*Pale Eucalypt)</small>	Unizinc <small>(*Zincalume)</small>
Dusk <small>(*Evening Haze)</small>	Gulf <small>(*Gully)</small>	Wallaroo <small>(*Wallaby)</small>	Basal <small>(*Basalt)</small>	Mountain Blue+ <small>(Deep Ocean)</small>	Caulfield Green+ <small>(Cottage Green)</small>	Iron Grey+ <small>(Ironstone)</small>	Monolith+ <small>(Monument)</small>	Ebony+ <small>(Night Sky)</small>	MagnaFlow™ Off White <small>(*Surfmist)</small>	MagnaFlow™ Armour Grey <small>(*Windspray)</small>

**+Limited Warranty**











\*Equivalent colour names are trade marks or registered trade marks of BlueScope Steel Limited and used only for comparison. Colour and finish swatches are provided as an indication only and may not be an actual representation of colour or finish. We recommend checking your chosen colour and finish against an actual sample of the product before purchasing.

Corrosion resistant option only available with MagnaFlow™ top. Additional LM charge applies, refer pricelist.

### 5. Panel Quantities:

Quantity	@	Top Skin Length Min - 1500mm Max - 10000mm	Standard Configuration (viewed from gutter end): 60mm Gutter Cutback / Right side Lap (Tick to select) <input type="checkbox"/>			Cover Width
			Alternatively, please nominate custom configuration below:			
			Gutter Cutback (Front) Specify Size (mm)	Cutback (Rear) Specify Size (mm)	Lap (Right or Left)	
	@				1000mm	
	@				1000mm	
	@				1000mm	
	@				1000mm	
	@				1000mm	

### 1. Flashings

Type	Roof Pitch	Style (please circle)	Colour	Qty.	Length (Max. 8m)	Qty.	Length (Max. 8m)
 Receiver Channel (Please Specify Pitch)		Stepped / Flush	White				
 Signature Two Part Receiver Channel	Max pitch 5'	50mm panel	Pearl white		4.1m		6.1m
 Signature Two Part Receiver Channel	Max pitch 5'	75mm panel	Pearl white		4.1m		6.1m
 Signature Two Part Receiver Channel	Max pitch 5'	100mm panel	Pearl White		4.1m		6.1m
 Top End Capping (Please Specify Pitch)		Stepped / Crush Fold					
 Side Barge Capping	N/A	Stepped / Crush Fold					
 Z Gutter Fascia (Please Specify Pitch)		Stepped / Crush Fold					
		50mm panel	Pearl white		4m		6m
		75mm panel			4m		6m
		100mm panel	Pearl white		4m		6m
 Ridge Capping (Please Specify Pitch)		N/A					
 Apron Flashing (Please Specify Pitch)		N/A					
Fire Flashing - Roof End x 1000mm (1 x req. per panel)			White				
Fire Flashing - Gutter End x 1000mm (1 x req. per panel)			White				

### 2. Gutter

Type	Colour	Qty.	Length	Type	Colour	Qty.	Length
Square Gutter	Slotted Square Gutter (Max. 8m)			Quad Gutter	Slotted Quad Gutter 125 (Max. 8m)		
					Quad Gutter Stop Ends (Pair)		
	Square Gutter Stop Ends (Pair)				Quad Gutter External Brackets		
	Square Gutter Brackets (external)				Quad Gutter Internal Brackets	Galvanised	
	Square Gutter Bracket (internal)				Quad Gutter External Corners		
				Quad Gutter Internal Corners	Galvanised		45 / 90° (Circle)

### 3. Downpipes

Type		Colour	Qty.	Type		Colour	Qty.
Rectangle	Downpipe 2.4m - 100 x 50 Rect.			Round	Downpipe 2.4m - 90mm Round		
	Downpipe Outlet - 100 x 50 Rect.	Galvanised			Downpipe Outlet - 90mm Round	Galvanised	
	Downpipe Straps - 100 x 50 Rect.				Downpipe Straps - 90mm Round		
	82° Offset - 100 x 50 Rect.				45° Bend - 90mm Round	Galvanised	

### 4. Accessories

Type	Details	Qty.	Type	Details	Qty.
LED Downlight White Bezel, Dimmable	Multi: 3000/4000/5000k (Adjustable, with 1m cable)		Eave/Ridge Filler Strip	Versalink 765mm	
LED Downlight White Bezel, Dimmable	Multi: 3000/4000/5000k (Adjustable, with 10m cable)		Fan Fixing Plate (inc. locking nut)	White - 100mm Diameter	
Downlight Dimmer	Specialist LED		Fan Fixing Plate Screws	1 x Profile Fix & 1 x Pan Fix	
Roof Infill Strip	Spacemaker x 1000mm		Butyl Tape	12mm x 15m Roll	
Roof Infill Strip	Corrolink 1000 x 1000mm		Purlin Tape	5mm x 40mm - 13m Roll	
Roof Infill Strip	Versalink 1000 x 1000mm		Touch Up Paint	Pearl White Spray Can 150gm	
Eave / Ridge Filler Strip	Corrolink 765mm				














### 5. Screws/Rivets

	Length	Finish	Qty.	Painted Boxes	Colour (Boxes only)	Min Qty. 100	Type	Colour	Qty.
Metal Fix	110mm	Galv.		Box = 100			Stitching Screws Painted 16mm (100pk)		
	125mm	Galv.		Box = 100			Rivets Painted (100pk) 3.2mm dia. x 9.5mm grip		
	150mm	Galv.		Box = 100			Rivets Painted white 4.8m dia. x 9.5grip (50 pack)		
	175mm	Galv.		Box = 100					
	205mm	Galv.		Box = 100					
	230mm	Galv.		Box = 100					
	250mm	Galv.		Box = 100					
Timber Fix	125mm	Galv.		Box = 100					
	150mm	Galv.		Box = 100					
	175mm	Galv.		Box = 100					
	200mm	Galv.		Box = 100					
	225mm	Galv.		Box = 100					
	250mm	Galv.		Box = 100					
	300mm	Galv.		Box = 100					

### 6. Posts and beams

Type		Colour				Qty.
	90mm Notched Post (2mm)- 3m	Satin Paperbark <input type="checkbox"/>	Satin Monument <input type="checkbox"/>	Gloss Primrose <input type="checkbox"/>	Gloss Pearl White <input type="checkbox"/>	
	90mm Notched Post (2mm)- 4m					
	90x90mm Straight post (2mm)-6m	Satin Paperbark <input type="checkbox"/>	Satin Monument <input type="checkbox"/>	Gloss Primrose <input type="checkbox"/>	Gloss Pearl White <input type="checkbox"/>	
	150x150mm post (colour)-5m	Satin Paperbark <input type="checkbox"/>	Satin Monument <input type="checkbox"/>	Gloss Primrose <input type="checkbox"/>	Gloss Pearl White <input type="checkbox"/>	
	150x150mm post (colour)-6.5m					
	105x50mm Beam Colour -4m	Satin Paperbark <input type="checkbox"/>	Satin Monument <input type="checkbox"/>	Gloss Primrose <input type="checkbox"/>	Gloss Pearl White <input type="checkbox"/>	
	105x50mm Beam Colour -5m					
	105x50mm Beam Colour -6.1m					
	105x50mm Beam Colour -7.5m					
	170x50mm Beam Colour-4m	Satin Paperbark <input type="checkbox"/>	Satin Monument <input type="checkbox"/>	Gloss Primrose <input type="checkbox"/>	Gloss Pearl White <input type="checkbox"/>	
	170x50mm Beam Colour-5m					
	170x50mm Beam Colour-6.1m					
	170x50mm Beam Colour-7.5m					
	235x50mm Beam Colour- 5m	Satin Paperbark <input type="checkbox"/>	Satin Monument <input type="checkbox"/>	Gloss Primrose <input type="checkbox"/>	Gloss Pearl White <input type="checkbox"/>	
	235x50mm Beam Colour- 6.1m					
	235x50mm Beam Colour- 7.5m					

### 7. Connectors, Brackets & Accessories

Type		Colour				Qty
	90mm Notched-Beam Connector	Mill Finish				
	90mm Base Connector-74mm	Mill Finish				
	150mm Base Connector	Mill Finish				
	Beam end bracket 105mm	Satin Paperbark <input type="checkbox"/>	Satin Monument <input type="checkbox"/>	Gloss Primrose <input type="checkbox"/>	Gloss Pearl White <input type="checkbox"/>	
	Beam end bracket 170mm					
	Beam end bracket 235mm					
	Round Bracket 105mm	Satin Paperbark <input type="checkbox"/>	Satin Monument <input type="checkbox"/>	Gloss Primrose <input type="checkbox"/>	Gloss Pearl White <input type="checkbox"/>	
	Round Bracket 170mm					
	Round Bracket 235mm					
	2 Piece Cantiliver Bracket	Satin Paperbark <input type="checkbox"/>	Satin Monument <input type="checkbox"/>	Gloss Primrose <input type="checkbox"/>	Gloss Pearl White <input type="checkbox"/>	
	Crown Bracket	Satin Paperbark <input type="checkbox"/>	Satin Monument <input type="checkbox"/>	Gloss Primrose <input type="checkbox"/>	Gloss Pearl White <input type="checkbox"/>	
	Collar Tie Bracket 105mm	Satin Paperbark <input type="checkbox"/>	Satin Monument <input type="checkbox"/>	Gloss Primrose <input type="checkbox"/>	Gloss Pearl White <input type="checkbox"/>	
	Gable Rafter Bracket-105mm	Satin Paperbark <input type="checkbox"/>	Satin Monument <input type="checkbox"/>	Gloss Primrose <input type="checkbox"/>	Gloss Pearl White <input type="checkbox"/>	
	Rafter Rail Bracket-105mm	Satin Paperbark <input type="checkbox"/>	Satin Monument <input type="checkbox"/>	Gloss Primrose <input type="checkbox"/>	Gloss Pearl White <input type="checkbox"/>	
	Long Rafter Bracket to suit 22' pitch	Mill Finish				
	Internal Channel	Mill Finish				
	6000mm Head track filler	Satin Paperbark <input type="checkbox"/>	Satin Monument <input type="checkbox"/>	Gloss Primrose <input type="checkbox"/>	Gloss Pearl White <input type="checkbox"/>	