

| | | |
|----------------------|------------|----------------------|
| Date: / / | Order No.: | Job Name: |
| Company Name: | | ABN: |
| Order Contact Name: | | Order Contact Phone: |
| Order Contact Email: | | Date order required: |
| Invoice Address: | State: | Post Code: |
| Delivery Address: | State: | Post Code: |
| Site Contact: | | Site Contact Phone: |

1. Spacemaker Quote / Order Quote: Order:

2. Thickness

| | | | | | |
|--------------------|-------------------------------|-------------------------------|--------------------------------|--------------------------------|--------------------------------|
| Core Thickness: | <input type="checkbox"/> 50mm | <input type="checkbox"/> 75mm | <input type="checkbox"/> 100mm | <input type="checkbox"/> 125mm | <input type="checkbox"/> 150mm |
| Overall Thickness: | 87mm | 112mm | 137mm | 162mm | 187mm |

3. Roof Colour

| | | | | | | | | | | | |
|---|---|---------------------------------------|---|--------------------------------------|--|---|--|---|---|--|--|
| | | | | | | | | | | | |
| Off White <small>(*Surfmist)</small> | Smooth Cream <small>(*Classic Cream)</small> | Merino <small>(*Paperbark)</small> | Gull Grey <small>(*Shale Grey)</small> | Birch Grey <small>(*Dune)</small> | Armour Grey <small>(*Windspray)</small> | Slate Grey <small>(*Woodland Grey)</small> | Jasmin Brown <small>(*Jasper)</small> | Heritage Red <small>(*Manor Red)</small> | Mist Green <small>(*Pale Eucalypt)</small> | Unizinc <small>(*Zincalume)</small> | Dusk <small>(*Evening Haze)</small> |

| | | | | | | | |
|---------------------------------|---------------------------------------|-----------------------------------|---|--|--|--|--------------------------------------|
| | | | | | | | |
| Gulf <small>(*Gully)</small> | Wallaroo <small>(*Wallaby)</small> | Basal <small>(*Basalt)</small> | Mountain Blue+ <small>(Deep Ocean)</small> | Caulfield Green+ <small>(Cottage Green)</small> | Iron Grey+ <small>(Ironstone)</small> | Monolith+ <small>(Monument)</small> | Ebony+ <small>(Night Sky)</small> |

+Limited Warranty

*Equivalent colour names are trade marks or registered trade marks of BlueScope Steel Limited and used only for comparison. Colour and finish swatches are provided as an indication only and may not be an actual representation of colour or finish. We recommend checking your chosen colour and finish against an actual sample of the product before purchasing.

Corrosion Resistant Option

| | | |
|---|---|---|
| | | |
| ▲UniCote Coastal™ Monolith <small>(*Monument)</small> | UniCote Coastal™ Off White <small>(*Surfmist)</small> | ▲UniCote Coastal™ Armour Grey <small>(*Windspray)</small> |

UniCote Coastal™ only available with UniCote Coastal™ ceiling skin.

4. Ceiling Finish

| | | | |
|--------------------|--------------|---------------|--|
| Pearl White | Cream | Merino | <small>Only available with UniCote Coastal™ top skin</small> ▲UniCote Coastal™ Pearl White |
| | | | |
| | | | |
| | | | |
| | | | |








Additional LM charge applies, refer pricelist. ▲ Orders under 50LM subject to \$250 + GST Set Up Fee

5. Panel Quantities:

Standard Configuration: 60mm Gutter Cutback / Left side Lap
(Viewed from gutter edge - This setting cannot be changed)

| Quantity | @ | Top Skin Length | | Gutter Cutback (Front) (Cannot be changed) | Lap (Cannot be changed) | Cover Width |
|----------|---|-----------------|-------------|---|----------------------------|-------------|
| | | Min. 1800mm | Max. 1500mm | | | |
| | @ | | | 60mm | Left | 1000mm |
| | @ | | | 60mm | Left | 1000mm |
| | @ | | | 60mm | Left | 1000mm |
| | @ | | | 60mm | Left | 1000mm |
| | @ | | | 60mm | Left | 1000mm |
| | @ | | | 60mm | Left | 1000mm |
| | @ | | | 60mm | Left | 1000mm |
| | @ | | | 60mm | Left | 1000mm |
| | @ | | | 60mm | Left | 1000mm |
| | @ | | | 60mm | Left | 1000mm |

1. Flashings

| Type | | Roof Pitch | Style (please circle) | Colour | Qty. | Length (Max. 8m) | Qty. | Length (Max. 8m) |
|--|---|--------------|-----------------------|-------------|------|------------------|------|------------------|
|  | Receiver Channel (Please Specify Pitch) | | Stepped / Flush | White | | | | |
|  | Signature Two Part Receiver Channel | Max pitch 5' | 50mm panel | Pearl white | | 4.1m | | 6.1m |
| | | Max pitch 5' | 75mm panel | Pearl white | | 4.1m | | 6.1m |
| | | Max pitch 5' | 100mm panel | Pearl White | | 4.1m | | 6.1m |
|  | Top End Capping (Please Specify Pitch) | | Stepped / Crush Fold | | | | | |
|  | Side Barge Capping | N/A | Stepped / Crush Fold | | | | | |
|  | Z Gutter Fascia (Please Specify Pitch) | | Stepped / Crush Fold | | | | | |
|  | Signature Series Aluminium Z Flashing Pearl White (suits 50mm, 75mm or 100mm panel) | | 50mm panel | Pearl white | | 4m | | 6m |
| | | | 75mm panel | Pearl white | | 4m | | 6m |
| | | | 100mm panel | Pearl white | | 4m | | 6m |
|  | Ridge Capping (Please Specify Pitch) | | N/A | | | | | |
|  | Apron Flashing (Please Specify Pitch) | | N/A | | | | | |
| Fire Flashing - Roof End x 1000mm (1 x req. per panel) | | | | White | | | | |
| Fire Flashing - Gutter End x 1000mm (1 x req. per panel) | | | | White | | | | |

2. Gutter

| Type | | Colour | Qty. | Length | Type | Colour | Qty. | Length |
|----------------------|-------------------------------------|--------|------------------------------|-------------------------------|--------------------|--------------------------------------|----------------------|--------|
| Square Gutter | Slotted Square Gutter (Max. 8m) | | | | Quad Gutter | Slotted Quad Gutter 125 (Max. 8m) | | |
| | Square Gutter Stop Ends (Pair) | | | Quad Gutter Stop Ends (Pair) | | | | |
| | Square Gutter Brackets (external) | | | Quad Gutter External Brackets | | | | |
| | Square Gutter Bracket (internal) | | | Quad Gutter Internal Brackets | | Galvanised | | |
| | | | | Quad Gutter External Corners | | | 45 / 90° (Circle) | |
| | | | Quad Gutter Internal Corners | Galvanised | | 45 / 90° (Circle) | | |

3. Downpipes

| | Type | Colour | Qty. | | Type | Colour | Qty. |
|-----------|----------------------------------|------------|------|-------|------------------------------|------------|------|
| Rectangle | Downpipe 2.4m - 100 x 50 Rect. | | | Round | Downpipe 2.4m - 90mm Round | | |
| | Downpipe Outlet - 100 x 50 Rect. | Galvanised | | | Downpipe Outlet - 90mm Round | Galvanised | |
| | Downpipe Straps - 100 x 50 Rect. | | | | Downpipe Straps - 90mm Round | | |
| | 82° Offset - 100 x 50 Rect. | | | | 45° Bend - 90mm Round | Galvanised | |

4. Accessories

| Type | Details | Qty. | Type | Details | Qty. |
|--|--|------|--|-------------------------------|------|
| LED Downlight White Bezel, Dimmable | Multi: 3000/4000/5000k (Adjustable, with 1m cable) | | Eave/Ridge Filler Strip | Versalink 765mm | |
| LED Downlight White Bezel, Dimmable | Multi: 3000/4000/5000k (Adjustable, with 10m cable) | | Fan Fixing Plate (inc. locking nut) | White - 100mm Diameter | |
| Downlight Dimmer | Specialist LED | | Fan Fixing Plate Screws | 1 x Profile Fix & 1 x Pan Fix | |
| Roof Infill Strip | Spacemaker x 1000mm | | | l | |
| Roof Infill Strip | Corrolink 1000 x 1000mm | | Purlin Tape | 5mm x 40mm - 13m Roll | |
| Roof Infill Strip | Versalink 1000 x 1000mm | | Touch Up Paint | Pearl White Spray Can 150gm | |
| Eave / Ridge Filler Strip | Corrolink 765mm | | | | |















5. Screws/Rivets

| | Length | Finish | Qty. | Painted Boxes | Colour (Boxes only) | Min Qty. order 100 | Type | Colour | Qty. |
|------------|--------|--------|-----------|---------------|---------------------|--------------------|--|--------|------|
| Metal Fix | 110mm | Galv. | | Box = 100 | | | Stitching Screws Painted 16mm (100pk) | | |
| | 125mm | Galv. | | Box = 100 | | | Rivets Painted (100pk) 3.2mm dia. x 9.5mm grip | | |
| | 150mm | Galv. | | Box = 100 | | | Rivets Painted white 4.8m dia. x 9.5grip (50 pack) | | |
| | 175mm | Galv. | | Box = 100 | | | | | |
| | 205mm | Galv. | | Box = 100 | | | | | |
| | 230mm | Galv. | | Box = 100 | | | | | |
| | 250mm | Galv. | | Box = 100 | | | | | |
| Timber Fix | 125mm | Galv. | | Box = 100 | | | | | |
| | 150mm | Galv. | | Box = 100 | | | | | |
| | 175mm | Galv. | | Box = 100 | | | | | |
| | 200mm | Galv. | | Box = 100 | | | | | |
| | 225mm | Galv. | | Box = 100 | | | | | |
| | 250mm | Galv. | | Box = 100 | | | | | |
| 300mm | Galv. | | Box = 100 | | | | | | |

6. Posts and beams

| Type | | Colour | | | | | Qty. |
|------|---------------------------------------|--------------------------------------|--|---|---|--|---------------------|
| | 90mm Notched Post (2mm)- 3m | Satin Black <input type="checkbox"/> | Satin Paperbark <input type="checkbox"/> | Satin Monument <input type="checkbox"/> | Gloss Primrose <input type="checkbox"/> | Gloss Pearl White <input type="checkbox"/> | Satin Woodland Grey |
| | 90mm Notched Post (2mm)- 4m | | | | | | |
| | 90x90mm Straight post (2mm)-6m | Satin Black <input type="checkbox"/> | Satin Paperbark <input type="checkbox"/> | Satin Monument <input type="checkbox"/> | Gloss Primrose <input type="checkbox"/> | Gloss Pearl White <input type="checkbox"/> | Satin Woodland Grey |
| | 115x115mm Straight Post - Colour - 3m | Satin Black <input type="checkbox"/> | Satin Paperbark <input type="checkbox"/> | Satin Monument <input type="checkbox"/> | Gloss Primrose <input type="checkbox"/> | Gloss Pearl White <input type="checkbox"/> | Satin Woodland Grey |
| | 115x115mm Straight Post - Colour - 4m | | | | | | |
| | 115x115mm Straight Post - Colour - 6m | | | | | | |
| | 150x150mm post (colour)-5m | Satin Black <input type="checkbox"/> | Satin Paperbark <input type="checkbox"/> | Satin Monument <input type="checkbox"/> | Gloss Primrose <input type="checkbox"/> | Gloss Pearl White <input type="checkbox"/> | Satin Woodland Grey |
| | 150x150mm post (colour)-6.5m | | | | | | |
| | 115mmx115xx Flanged post Colour 3m | | | Satin Monument <input type="checkbox"/> | | Gloss Pearl White <input type="checkbox"/> | |
| | 105x50mm Beam Colour -4m | Satin Black <input type="checkbox"/> | Satin Paperbark <input type="checkbox"/> | Satin Monument <input type="checkbox"/> | Gloss Primrose <input type="checkbox"/> | Gloss Pearl White <input type="checkbox"/> | Satin Woodland Grey |
| | 105x50mm Beam Colour -5m | | | | | | |
| | 105x50mm Beam Colour -6.1m | | | | | | |
| | 105x50mm Beam Colour -7.5m | | | | | | |
| | 170x50mm Beam Colour-4m | Satin Black <input type="checkbox"/> | Satin Paperbark <input type="checkbox"/> | Satin Monument <input type="checkbox"/> | Gloss Primrose <input type="checkbox"/> | Gloss Pearl White <input type="checkbox"/> | Satin Woodland Grey |
| | 170x50mm Beam Colour-5m | | | | | | |
| | 170x50mm Beam Colour-6.1m | | | | | | |
| | 170x50mm Beam Colour-7.5m | | | | | | |
| | 235x50mm Beam Colour- 5m | Satin Black <input type="checkbox"/> | Satin Paperbark <input type="checkbox"/> | Satin Monument <input type="checkbox"/> | Gloss Primrose <input type="checkbox"/> | Gloss Pearl White <input type="checkbox"/> | Satin Woodland Grey |
| | 235x50mm Beam Colour- 6.1m | | | | | | |
| | 235x50mm Beam Colour- 7.5m | | | | | | |

7. Connectors, Brackets & Accessories

| Type | Colour | | | | | | Qty. |
|---|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|------|
|  90mm Notched-Beam Connector | Mill Finish | | | | | | |
|  115mm Internal Beam Connector | Mill Finish | | | | | | |
|  90mm Base Connector-74mm | Mill Finish | | | | | | |
|  115mm Base Connector | Mill Finish | | | | | | |
|  150mm Base Connector | Mill Finish | | | | | | |
|  Beam end bracket 105mm Beam end bracket 170mm Beam end bracket 235mm | Satin Black | Satin Paperbark | Satin Monument | Gloss Primrose | Gloss Pearl White | Satin Woodland Grey | |
| | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| | | | | | | | |
|  Round Bracket 105mm Round Bracket 170mm Round Bracket 235mm | Satin Black | Satin Paperbark | Satin Monument | Gloss Primrose | Gloss Pearl White | Satin Woodland Grey | |
| | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| | | | | | | | |
|  Crown Bracket | Satin Black | Satin Paperbark | Satin Monument | Gloss Primrose | Gloss Pearl White | Satin Woodland Grey | |
| <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
|  Collar Tie Bracket 105mm | Satin Black | Satin Paperbark | Satin Monument | Gloss Primrose | Gloss Pearl White | Satin Woodland Grey | |
| <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
|  Gable Rafter Bracket-105mm | Satin Black | Satin Paperbark | Satin Monument | Gloss Primrose | Gloss Pearl White | Satin Woodland Grey | |
| <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
|  Rafter Rail Bracket-105mm | Satin Black | Satin Paperbark | Satin Monument | Gloss Primrose | Gloss Pearl White | Satin Woodland Grey | |
| <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
|  Long Rafter Bracket to suit 22' pitch | Mill Finish | | | | | | |
|  Internal Channel | Mill Finish | | | | | | |
|  6000mm Head track filler | Satin Black | Satin Paperbark | Satin Monument | Gloss Primrose | Gloss Pearl White | Satin Woodland Grey | |
| <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |

1. Skylight Kit Combinations (Includes materials to install 1 x skylight per kit)

| Type | Details | Qty. |
|-----------------------------------|---|------|
| Spacemaker/Versalink 1000: 4m Kit | Top Fibreglass Strip Twinwall Bottom Diffuser Strip 2 x 4000mm T-Bars Foam Infill Pair Stormtite Stitching Screws Rivets Twinwall Sealer Tape | |
| Spacemaker/Versalink 1000: 6m Kit | Top Fibreglass Strip Twinwall Bottom Diffuser Strip 2 x 6000mm T-Bars Foam Infill Pair Stormtite Stitching Screws Rivets Twinwall Sealer Tape | |
| Spacemaker/Versalink 1000: 8m Kit | Top Fibreglass Strip Twinwall Bottom Diffuser Strip 4 x 4000mm T-Bars Foam Infill Pair Stormtite Stitching Screws Rivets Twinwall Sealer Tape | |
| Corrolink 1000: 4m Kit | Top Fibreglass Strip Twinwall Bottom Diffuser Strip 2 x 4000mm T-Bars Foam Infill Strip Stormtite Stitching Screws Rivets Twinwall Sealer Tape | |
| Corrolink 1000: 6m Kit | Top Fibreglass Strip Twinwall Bottom Diffuser Strip 2 x 6000mm T-Bars Foam Infill Strip Stormtite Stitching Screws Rivets Twinwall Sealer Tape | |
| Corrolink 1000: 8m Kit | Top Fibreglass Strip Twinwall Bottom Diffuser Strip 4 x 4000mm T-Bars Foam Infill Strip Stormtite Stitching Screws Rivets Twinwall Sealer Tape | |

Alternatively, you can order items required individually below:

2. Fibreglass Top & Twinwall Bottom

| Type | Length | Qty. | Cut to Length (please specify length req.) |
|--|--------|------|--|
| Spacemaker/Versalink 1000 Top Fibreglass Strip | 4m* | | |
| | 6m* | | |
| | 8m* | | |
| Corrolink 1000 Top Fibreglass Strip | 4m* | | |
| | 6m* | | |
| | 8m* | | |
| Twinwall Diffuser Bottom Strip | 4m* | | |
| | 6m* | | |
| | 8m* | | |

*Please note: you will be purchasing full lengths. We will cut these to your required lengths and you will be provided with any offcuts.

3. Accessories

| Type | Qty. | Type | Qty. |
|--|------|---|------|
| Spacemaker/Versalink 1000 Foam Infill Pair | | Twinwall Sealer Tape (50m Roll) | |
| Corrolink-S Foam Infill (915mm Strip 1/Skylight) | | Stitching Screws - 50 pack Surfmist Storm-Tite 25mm | |
| Rivets, White - 100 pack 3.2mm dia x 9.5mm | | Silicone: Clear/White (Please Circle) | |
| Aluminium T-Bar 4m White - 40 x 50mm | | Aluminium T-Bar 6m White - 40 x 50mm | |
| Spacemaker/Versalink 1000 Accessory Bag: Foam Infill Pair 35 x Stormtite Stitching Screws 60 x Rivets 1m Twinwall Sealer Tape | | | |
| Corrolink 1000 Accessory Bag: Foam Infill Strip 35 x Stormtite Stitching Screws 60 x Rivets 1m Twinwall Sealer Tape | | | |

What you need:

- Fibreglass profiled top strip (4m, 6m & 8m only) - cut to match overall top sheet length, if required
- Twin wall bottom diffuser ceiling strip (4m, 6m & 8m only) - cut to match ceiling length, if required
- T-bar aluminium extrusions (4m & 6m only) - require 2 x T-Bars per light strip, either side of bottom diffuser strip
- Twin wall seal tape - require 460mm for each Skylight
- Foam infills (Spacemaker = 2 piece set per skylight, Corrolink-S = 1 piece per skylight, cut to size onsite)
- Stormtite Screws - fixed through profile/crest at 600mm centres, along both sides of the fibreglass profiled top strip
- Blind Rivets - fixed through T-Bar at 300mm centres
- Silicone - run bead of silicone along top of horizontal section of T-Bar prior to pressing Twinwall into place and along Z Flashing prior to pressing foam infill into place

Please request and review engineering specifications prior to ordering skylights

1. Skylight Kit Combinations (Includes materials to install 1 x skylight per kit)

| Type | Details | Qty. | Cut to Length (please specify length required) |
|---------------------|--|------|---|
| Spacemaker - 4m Kit | Top Fibreglass Strip Twinwall Bottom Diffuser Strip 2 x 4000mm T-Bars Foam Infill Pair Stormtite Stitching Screws Rivets Twinwall Sealer Tape | | |
| Spacemaker - 6m Kit | Top Fibreglass Strip Twinwall Bottom Diffuser Strip 2 x 6000mm T-Bars Foam Infill Pair Stormtite Stitching Screws Rivets Twinwall Sealer Tape | | |
| Spacemaker - 8m Kit | Top Fibreglass Strip Twinwall Bottom Diffuser Strip 4 x 4000mm T-Bars Foam Infill Pair Stormtite Stitching Screws Rivets Twinwall Sealer Tape | | |

Alternatively, you can order items required individually below:

2. Fibreglass Top & Twinwall Bottom

| Type | Length | Qty. | Cut to Length (please specify length required) |
|---------------------------------------|--------|------|---|
| Spacemaker Top Fibreglass Strip | 4m* | | |
| | 6m* | | |
| | 8m* | | |
| Twinwall Diffuser Bottom Strip | 4m* | | |
| | 6m* | | |
| | 8m* | | |

*Please note: you will be purchasing full lengths. We will cut these to your required lengths and you will be provided with any offcuts.

3. Accessories

| Type | Qty. | Type | Qty. |
|--|------|--|------|
| Spacemaker Foam Infill (Pair: Front & Back) | | Twinwall Sealer Tape (50m Roll) | |
| Rivets, White - 100 pack 3.2mm dia x 9.5mm | | Stitching Screws - 50 pack Surfmist Storm-Tite 25mm | |
| Aluminium T-Bar White - 40 x 50mm | 4m | Silicone: Clear/White (Please Circle) | |
| | 6m | | |
| Spacemaker Accessory Bag: Foam Infill Pair 35 x Stormtite Stitching Screws 60 x Rivets 1m Twin- wall Sealer Tape | | | |

What you need:

- Fibreglass profiled top strip (4m, 6m & 8m only) - cut to match overall top sheet length, if required
- Twin wall bottom diffuser ceiling strip (4m, 6m & 8m only) - cut to match ceiling length, if required
- T-bar aluminium extrusions (4m & 6m only) - require 2 x T-Bars per light strip, either side of bottom diffuser strip
- Twin wall seal tape - require 460mm for each Skylight
- Foam infills (Spacemaker/Versalink 1000 = 2 piece set per skylight, Corrolink 1000 = 1 piece per skylight, cut to size onsite)
- Stormtite Screws - fixed through profile/crest at 600mm centres, along both sides of the fibreglass profiled top strip
- Blind Rivets - fixed through T-Bar at 300mm centres
- Silicone - run bead of silicone along top of horizontal section of T-Bar prior to pressing Twinwall into place and along Z Flashing prior to pressing foam infill into place

Please request and review engineering specifications prior to ordering skylights

